

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Hydrophobic Silicone Coating

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Coating

1.3. Details of the supplier of the safety data sheet

Coatings2Go
399 Concord Street
Carlisle MA, 01741 - USA
T 1-978-369-7411 - F 978-371-9940
info@coatings2go.com - COATINGS2GO.COM

1.4. Emergency telephone number

Emergency number : 1-978-369-7411

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2 H315
Eye Irrit. 2A H319

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning
Hazard statements (GHS-US) : H315 - Causes skin irritation
H319 - Causes serious eye irritation
Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face thoroughly after handling
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P302 + P352 - If on skin: Wash with plenty of soap and water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P337 + P313 - If eye irritation persists: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse

2.3. Other hazards

Other hazards not contributing to the classification : Not expected to produce significant adverse health effects when the recommended instruction for use are followed.

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Triethylamine (Constituent)	(CAS No) 121-44-8	< 1.5	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314
Alcohols, C11-C15-secondary, ethoxylated (Constituent)	(CAS No) 68131-40-8	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air. Respiratory problems: consult a doctor/medical service.
- First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Do NOT induce vomiting. Give one or two glasses of water to drink. If swallowed, contact a poison control center or physician immediately. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Inhalation of vapours may cause respiratory irritation.
- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after ingestion : May be harmful if swallowed.
- Chronic symptoms : Repeated or prolonged skin contact may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂), water spray.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide, nitrogen oxides (NO_x).
- Explosion hazard : Not determined.

5.3. Advice for firefighters

- Firefighting instructions : The material will not support combustion unless the water has evaporated.
- Protection during firefighting : Firefighters should wear positive pressure self-contained breathing apparatus (SCBA) and full protective equipment. In case of contact with eyes or skin, rinse immediately with plenty of water.
- Other information : Irritating and highly toxic gases may be generated by thermal decomposition or combustion in a fire. Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide, nitrogen oxides (NO_x).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No action shall be taken involving any personal risk without suitable training.

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Avoid breathing vapors.
- Emergency procedures : Evacuate unnecessary personnel. Use personal protective equipment as required.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.
- Emergency procedures : Avoid breathing vapors. Ventilate area. Wear recommended personal protective equipment.

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Stop spill if without risk. Clean up any spills as soon as possible, using an absorbent material to collect it. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Refer to all applicable national, international and local regulations or provisions.

6.3. Methods and material for containment and cleaning up

- For containment : Stop spill if without risk. Move containers from spill area. Clean up any spills as soon as possible, using an absorbent material to collect it.
- Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
- Other information : Collect all waste in suitable and labelled containers and dispose according to local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Use only with adequate ventilation.
- Precautions for safe handling : This product which contains an aqueous dispersion of a polymer may be difficult to remove without injuring the skin if allowed to dry. Do not eat, drink or smoke when using this product. Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.
- Hygiene measures : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove/Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Prevent freezing . Keep container tightly closed. Store in a cool, well-ventilated place. Store away from direct sunlight or other heat sources. Store away from incompatible materials.
- Incompatible materials : Strong oxidizing agents.
- Storage temperature : > 0 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Triethylamine (121-44-8)		
USA ACGIH	ACGIH TWA (mg/m ³)	4.1 mg/m ³
USA ACGIH	ACGIH TWA (ppm)	1 ppm
USA ACGIH	ACGIH STEL (mg/m ³)	12.4 mg/m ³
USA ACGIH	ACGIH STEL (ppm)	3 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	100 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	25 ppm
USA OSHA	OSHA PEL (STEL) (mg/m ³)	60 mg/m ³
USA OSHA	OSHA PEL (STEL) (ppm)	15 ppm

8.2. Exposure controls

- Appropriate engineering controls : No ACGIH TLV or OSHA PEL is assigned to this mixture. . Control of exposure to below the PEL for the ingredients may not be sufficient.
- Personal protective equipment : Personal protective equipment should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling the product. Gloves. Safety glasses. Insufficient ventilation: wear respiratory protection.



- Materials for protective clothing : Nitrile rubber
- Hand protection : Wear suitable gloves resistant to chemical penetration.

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. . Chemical goggles or safety glasses.
Skin and body protection	: Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous
Colour	: Milky
Odour	: Amine-like
Odour threshold	: No data available
pH	: 7.5 - 9.5
Relative evaporation rate (butylacetate=1)	: < 1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 100 °C
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1 g/ml
Solubility	: Miscible with water. Water:
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Minimum ignition energy	: <
-------------------------	-----

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Prevent freezing.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO and CO₂). Nitrogen oxides.

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
(Based on available data, the classification criteria are not met)

Triethylamine (121-44-8)	
LD50 oral rat	730 mg/kg
LD50 dermal rabbit	580 mg/kg
LC50 inhalation rat (mg/l)	7.1 mg/l/4h
ATE US (oral)	730.00000000 mg/kg bodyweight
ATE US (dermal)	580.00000000 mg/kg bodyweight
ATE US (vapours)	7.10000000 mg/l/4h
ATE US (dust,mist)	1.50000000 mg/l/4h

Alcohols, C11-C15-secondary, ethoxylated (68131-40-8)	
LD50 oral rat	3336 mg/kg
LD50 dermal rabbit	3972 mg/kg
ATE US (oral)	3336.00000000 mg/kg bodyweight
ATE US (dermal)	3972.00000000 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.
pH: 7.5 - 9.5

Serious eye damage/irritation : Causes serious eye irritation.
pH: 7.5 - 9.5

Respiratory or skin sensitisation : Not classified
(Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified
(Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified
(Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified
(Based on available data, the classification criteria are not met)

Specific target organ toxicity (single exposure) : Not classified
(Based on available data, the classification criteria are not met)

Specific target organ toxicity (repeated exposure) : Not classified
(Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified
(Based on available data, the classification criteria are not met)

Symptoms/injuries after inhalation : Inhalation of vapours may cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

Chronic symptoms : Repeated or prolonged skin contact may cause irritation.

Other information : Likely routes of exposure: inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No known significant effects or critical hazards.

Triethylamine (121-44-8)	
LC50 fishes 1	43.7 mg/l Pimephales promelas - 96 h
EC50 Daphnia 1	200 mg/l 48 h
LC50 fish 2	150 mg/l Oncorhynchus mykiss
LOEC (chronic)	3202 mg/l Danio rerio - 7 d

Alcohols, C11-C15-secondary, ethoxylated (68131-40-8)	
LC50 fishes 1	4.6 mg/l Lepomis macrochirus - 96 h

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

Hydrophobic Silicone Coating	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Hydrophobic Silicone Coating	
Bioaccumulative potential	Not established.

Triethylamine (121-44-8)	
Log Pow	1.15

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

- Effect on ozone layer : No additional information available
- Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Regional legislation (waste) : Collect all waste in suitable and labelled containers and dispose according to local legislation.
- Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.
- Waste disposal recommendations : This material and its container must be disposed of in a safe way, and as per local legislation.
- Additional information : Do not re-use empty containers without proper cleaning or reconditioning. Empty containers contain product residue. Observe all hazard precautions. If container is to be disposed, ensure all product residues are removed prior to disposal. Remove all product residue from container and puncture or otherwise destroy the empty container before disposal.

SECTION 14: Transport information

DOT

- Transport document description : Not regulated
- DOT NA no. : Not regulated
- DOT Proper Shipping Name : Not regulated

Additional information

- Other information : No supplementary information available.

ADR

- Transport document description :
- Class (ADR) : Not regulated

Transport by sea

- Class (IMDG) : Not subject

Air transport

- Class (IATA) : Not subject

SECTION 15: Regulatory information

15.1. US Federal regulations

Hydrophobic Silicone Coating	
EPA TSCA Regulatory Flag	All components are included or exempt from listing on the TSCA Inventory of Chemical Substances.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313	0.42 % Triethylamine

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

All components of this product are listed on the Canada Domestic Substances List (DSL).

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

Hydrophobic Silicone Coating

All components of this product are listed on the Canada Domestic Substances List (DSL).

15.3. US State regulatio

Triethylamine (121-44-8)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Alcohols, C11-C15-secondary, ethoxylated (68131-40-8)

U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Revision date	: 10/06/2014
Data sources	: SDS. Supplier.
Training advice	: Educate and train employees in the safe use and handling of this product. Follow all label instructions.
Other information	: The information contained in this Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications. We assigned HMIS ratings to this product based on the hazard(s) of its ingredients.

Full text of H-phrases: see section 16:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled

Hydrophobic Silicone Coating

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health	: 1* Slight hazard, chronic effect
Flammability	: 1 Slight Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: X

SDS US (GHS HazCom 2012)

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. This information is based on the material as manufactured, it may not be valid for this material if used in combination with any other materials or in any process. Surface Solutions Labs/Coatings2Go shall not be held liable for any damage resulting from handling or from contact with the product(s).